

## MECH ORTHO PVT. LTD.

Reconstruct foundation of human body

## WIRE & PINS



## mechorthoebuy.com

Mobile App



Website

		THREADED GUIDE WIRE	
1.25mm THREADED	GUIDE W	E	
TOTAL TENGTH	150mm		
THREAD LENGTH	10mm		
CATALOGUE NO.	3.006.001		
2.0mm THREADED	GUIDE WI		
TOTAL TENGTH	450mm		
THREAD LENGTH	14mm		
CATALOGUE NO.	3.007.001		
2.50mm THREADED	GUIDE W	E	
TOTAL TENGTH	230mm	150mm	
THREAD LENGTH	14mm	14mm	
CATALOGUE NO.	3.008.001	008.002	

FRONT THREADED PIN (SCHANZ PIN)									
<##									
2.50mm FRONT THE	READED F	PIN (SCHA	NZ PIN)						
TOTAL TENGTH	100mm	150mm							
THREAD LENGTH	12mm	16mm							
CATALOGUE NO.	3.009.001	3.009.002							
3.0mm FRONT THR	EADED PI	N (SCHAN	IZ PIN)						
TOTAL TENGTH	100mm	150mm							
THREAD LENGTH	14mm	18mm							
CATALOGUE NO.	3.010.001	3.010.002							
3.50mm FRONT THE	READED F	PIN (SCHA	NZ PIN)						
TOTAL TENGTH	100mm	150mm							
THREAD LENGTH	14mm	18mm							
CATALOGUE NO.	3.011.001	3.011.002							
4.0mm FRONT THRI	EADED PI	N (SCHAN	IZ PIN)						
TOTAL TENGTH	120mm	125mm	150mm	150mm	175mm	180mm	200mm		
THREAD LENGTH	16mm	18mm	16mm	32mm	25mm	32mm	32mm		
CATALOGUE NO.	3.012.001	3.012.002	3.012.003	3.012.004	3.012.005	3.012.006	3.012.007		
4.50mm FRONT THREADED PIN (SCHANZ PIN)									
TOTAL TENGTH	125mm	150mm	150mm	150mm	175mm	175mm	175mm	175mm	
THREAD LENGTH	32mm	18mm	25mm	32mm	18mm	25mm	32mm	40mm	
CATALOGUE NO.	3.013.001	3.013.002	3.013.003	3.013.004	3.013.005	3.013.006	3.013.007	3.013.008	
TOTAL TENGTH	200mm	200mm	200mm	225mm	225mm	225mm			
THREAD LENGTH	25mm	32mm	40mm	25mm	32mm	40mm			

CATALOGUE NO. 3.013.009 3.013.010 3.013.011 3.013.012 3.013.013 3.013.014

5.0mm FRONT THR	EADED PI	N (SCHAN	IZ PIN)					
TOTAL TENGTH	125mm	150mm	150mm	150mm	175mm	175mm	175mm	175mm
THREAD LENGTH	50mm	18mm	25mm	50mm	25mm	35mm	40mm	50mm
CATALOGUE NO.	3.014.001	3.014.002	3.014.003	3.014.004	3.014.005	3.014.006	3.014.007	3.014.008
TOTAL TENGTH	200mm	200mm	200mm	200mm	225mm	225mm	225mm	225mm
THREAD LENGTH	25mm	35mm	40mm	50mm	25mm	35mm	40mm	50mm
CATALOGUE NO.	3.014.009	3.014.010	3.014.011	3.014.012	3.014.013	3.014.014	3.014.015	3.014.016

	CANO	CELLOL	<u>IS FROI</u>	NT THR	EADED	<u>PIN</u>
43333	aadaad:					
6.50mm CANCELLO	US FRON	T THREA	DED PIN			
TOTAL TENGTH	150mm	150mm	175mm	180mm	200mm	
THREAD LENGTH	16mm	32mm	25mm	32mm	32mm	
CATALOGUE NO.	3.015.001	3.015.002	3.015.003	3.015.004	3.015.005	
			_ T 6 T		70.7	0.76 47 67.070

## CENTRALLY THREADED PIN 4.50mm CENTRALLY THREADED PIN TOTAL TENGTH 225 THREAD LENGTH 40 CATALOGUE NO. 3.016.001 5.0mm CENTRALLY THREADED PIN TOTAL TENGTH 225 THREAD LENGTH 40 CATALOGUE NO. 3.017.001

STEINMANN PIN							
3.0mm STAINMAN F	PIN						
TOTAL TENGTH	150mm	175mm	200mm	250mm			
CATALOGUE NO.	3.018.001	3.018.002	3.018.003	3.018.004			
3.50mm STAINMAN	PIN						
TOTAL TENGTH	150mm	175mm	200mm	250mm			
CATALOGUE NO.	3.019.001	3.019.002	3.019.003	3.019.004			
4.0mm STAINMAN F	PIN						
TOTAL TENGTH	150mm	175mm	200mm	250mm			
CATALOGUE NO.	3.020.001	3.020.002	3.020.003	3.020.004			
4.50mm STAINMAN	PIN						
TOTAL TENGTH	150mm	175mm	200mm	250mm			
CATALOGUE NO.	3.021.001	3.021.002	3.021.003	3.021.004			
5.0mm STAINMAN F	PIN						
TOTAL TENGTH	150mm	175mm	200mm	250mm			
CATALOGUE NO.	3.022.001	3.022.002	3.022.003	3.022.004			